IOP 012H.1 Attachment 3 Effective Date: 1/09/2017

Page 1 of 1

| Date | Time | Inits. | Stream | Std. number | mg/L | Absorb. | Slope | Remarks and maintenance |
|------|------|--------|--------|-------------|------|---------|-------|-------------------------|
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |

IOP 012H.1 Attachment 3 Effective Date: 1/09/2017

Page 2 of 1

| Date | Time | Inits. | Stream | Std. number | mg/L | Absorb. | Slope | Remarks and maintenance |
|------|------|--------|--------|-------------|------|---------|-------|-------------------------|
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |
|      |      |        |        |             |      |         |       |                         |